



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/790,641	03/01/2004	Darrell Reginald May	ID-399 (80211)	9761
89137	7590	03/10/2010		
Allen, Dyer, Doppelt, Milbrath & Gilchrist - RIM				
255 S. Orange Avenue				
Suite 1401				
Orlando, FL 32801				
EXAMINER				
RAMAKRISHNANAH, MELUR				
ART UNIT		PAPER NUMBER		
2614				
NOTIFICATION DATE		DELIVERY MODE		
03/10/2010		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

creganoa@addmg.com
portfolioprossecution@rim.com

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10790641	3/1/2004	MAY ET AL.	ID-399 (80211)

Allen, Dyer, Doppelt, Milbrath & Gilchrist - RIM
255 S. Orange Avenue
Suite 1401
Orlando, FL 32801

EXAMINER

Melur Ramakrishnaiah

ART UNIT	PAPER
----------	-------

2614

20100304

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Item 8 listing the references used in the rejection of the claims stands corrected. The correction involves changing the incorrect Patent No: 6,771,143 to correct Patent No: 6,772,143 which is the correct patent number listed in the rejection of claims under item 9 (Grounds of Rejection). Page 3 of Examiner's answer is included to reflect this correction.

/Melur Ramakrishnaiah/
Primary Examiner, Art Unit 2614